



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORBIDITY AND MORTALITY TABLE, CITIES OF THE UNITED STATES, FOR WEEK ENDED MAR. 16, 1912.

Cities.	Popula- tion, United States census, 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Ty- phoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having over 500,000 inhabitants.														
Baltimore, Md.	558,485	240	22	2	23	1	12	2	46	31	11	4		
Boston, Mass.	670,585	276	31	3	180	1	45	1	86	22	6	2		
Chicago, Ill.	2,185,283	713	131	18	101	2	199	11	171	89	9	2		
Cleveland, Ohio.	560,663	174	27	3	64	39	3	32	18	2	5	1		
New York, N. Y.	4,766,883	1,602	315	30	1,619	14	537	22	453	208	36	5		
Philadelphia, Pa.	1,549,008	518	49	5	28	66	6	127	57	12	1	2		
St. Louis, Mo.	687,029	260	19	5	44	15	2	41	17	3				
Cities having from 300,000 to 500,000 inhabitants.														
Cincinnati, Ohio.	364,463	166	11	1	13	55	2	1	7	33	1			
Detroit, Mich.	466,766	177	19	3		31	2	2	10	22		1		
Los Angeles, Cal.	319,158	117	4		5	10	1	2	19	9	26	4		
Milwaukee, Wis.	373,857	118	10	3	62	28			30	17	2			
Minneapolis, Minn.	301,408		23	1		17	2	1	39	22	1			
Newark, N. J.	347,469	159	6	1	4	11			416,912					
New Orleans, La.	339,075								331,069					
San Francisco, Cal.	416,912								27	15	3			
Washington, D. C.	331,069	129	6		31	4								
Cities having from 200,000 to 300,000 inhabitants.														
Denver, Colo.	213,381	68	5	1	3	5			14		1			
Jersey City, N. J.	267,779								9		1			
Kansas City, Mo.	248,381	29	2		4	9		1	6	4	3	2		
Providence, R. I.	224,326	89	10	5	24	9			9	4				
Seattle, Wash.	237,194	47	1		11	2			13	11	4			
Cities having from 100,000 to 200,000 inhabitants.														
Bridgeport, Conn.	102,054	25	2			4	2							
Cambridge, Mass.	104,839	33	4		9	7			6	8				
Dayton, Ohio.	116,577	36	2		2	1	11		2	2	2	1		
Fall River, Mass.	119,295	37	5	1	3	6			5	3				
Grand Rapids, Mich.	112,571	46	2	1	2	15			4	3				
Lowell, Mass.	106,294	43	1		16	11			1	6	1			
Nashville, Tenn.	110,364	43	3			1		6	7					
Oakland, Cal.	150,174	44	3	1	5				1	3				
Omaha, Nebr.	124,096	34	2			2				1				
Toledo, Ohio	168,497	74	2	1	34	2	1	1		8				
Worcester, Mass.	145,986	46	7		4	10			6	3				
Cities having from 50,000 to 100,000 inhabitants.														
Altoona, Pa.	52,127	17	2			3			1	1				
Bayonne, N. J.	55,545	25	2	1	2	10			1	4				
Brockton, Mass.	56,878	21	1		93	2			5	2				
Camden, N. J.	94,538	11	1			6			4					
Duluth, Minn.	78,466	16	1			6				1	2			
Elizabeth, N. J.	73,409	20	2	1	4	8				3	2			
Erie, Pa.	66,525	25	3	1					4	3	2			
Evansville, Ind.	69,647	15							1	3	1			
Fort Wayne, Ind.	63,933	18	2		10	2				5				
Harrisburg, Pa.	64,186	21	2		50	1				2				
Hartford, Conn.	98,915	39	7			5	1		4	2				
Hoboken, N. J.	70,324	10			2	2			6					
Johnstown, Pa.	55,482	21	1		1				12	4				
Kansas City, Kans.	82,331					1		2			3			
Lawrence, Mass.	85,892	28	2		1	2			6	3	1			
Lynn, Mass.	89,336	25	3	1		4	1		2	4				
Manchester, N. H.	70,063	30	1		9						1			
New Bedford, Mass.	96,652	34	1		62	5			11	3	1			
Oklahoma City, Okla.	64,205	15												

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table, cities of the United States, for week ended Mar. 16, 1912—Continued.

Cities.	Popula- tion, United States census, 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Ty- phoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having from 50,000 to 100,000 inhabitants—Continued.														
Passaic, N. J.	54,773	28	2		9		5				1	2		
Pawtucket, R. I.	51,622	4		1										
Portland, Me.	58,571	22	3				2					5		
Reading, Pa.	96,071	43	1	1	2		3					2		
Saginaw, Mich.	50,510		5				1						3	1
San Antonio, Tex.	96,614	56	2		11	2	4	2				9		
South Bend, Ind.	53,684	9							1			1	1	
Springfield, Ill.	51,678	21	5	1			1					3	3	
Springfield, Mass.	88,926	39	1	1	28		4					2	2	1
Trenton, N. J.	96,815	45	6		1		4					6	5	
Wilkes-Barre, Pa.	67,105	26	4		5							2	1	
Wilmington, Del.	87,411	33										1	3	
Yonkers, N. Y.	79,803	18	3		1		5					7	3	
Cities having from 25,000 to 50,000 inhabitants.														
Atlantic City, N. J.	46,150	12	4				4	1			1		1	
Auburn, N. Y.	34,668	14					1				1			
Aurora, Ill.	29,807	7	1		3						2			
Berkeley, Cal.	40,434	11	1		16		1				1	1	1	
Binghamton, N. Y.	48,443	18	1		1		3				2	2		
Brookline, Mass.	27,792	7	1		3		1						1	
Chelsea, Mass.	32,452	6			2		4				1		1	
Chicopee, Mass.	25,401	6			7	1	2						1	
Danville, Ill.	27,871	6	2				1							1
Dubuque, Iowa.	38,494	8										1		
East Orange, N. J.	34,371	7	1		5		4						1	
Elmira, N. Y.	37,176	8	1		2						1	1		
El Paso, Tex.	39,279	26	3				2	2	2			7		
Everett, Mass.	33,484				1		3	1			3			
Fitchburg, Mass.	37,826	11	1				1				2			
Haverhill, Mass.	44,115		3		10						6		1	
Kalamazoo, Mich.	39,437	16	1		1		7				1	1	1	
Knoxville, Tenn.	36,346	11			6				1			2		
La Crosse, Wis.	30,417	7	2				1							
Lancaster, Pa.	47,227		2		80		3				3			
Lexington, Ky.	35,099	14	2		6						3			2
Lynchburg, Va.	29,494	6	2		49	1	1				1			
Malden, Mass.	44,404	9			2		2					1		
Montgomery, Ala.	38,136	17			11		2				2	1		
Newport, Ky.	30,309	19					4				3	3		
Newton, Mass.	39,806	11			19		2					1		
Niagara Falls, N. Y.	30,445	13	2		1		1					1	1	
Norristown, Pa.	27,875	12			40		1							
Orange, N. J.	29,630	9	2		2		1				1	2	1	
Pasadena, Cal.	30,291	11	1									4		
Pittsfield, Mass.	32,121	10	2				3					2		
Portsmouth, Va.	33,190	16	2						1					
Racine, Wis.	38,002	12										3		
Roanoke, Va.	34,874	10	1		38	1					1	1		1
Rockford, Ill.	45,401												8	2
Salem, Mass.	43,697	14	1		1		3					1		
San Diego, Cal.	39,578	7			6						4	4		
Superior, Wis.	40,384	6							1			1		
Taunton, Mass.	34,259	16	2	1								1		
Waltham, Mass.	27,834	5			27		2							
West Hoboken, N. J.	35,403	6	4		1		2							
Wheeling, W. Va.	41,641	21			4		1				1	4	2	2
Williamsport, Pa.	31,860	11			1								1	
Wilmington, N. C.	25,748	20	1		28				4		1	1		
York, Pa.	44,750		1				1				3			
Zanesville, Ohio.	28,026	8	1				1					1	19	

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table, cities of the United States, for week ended Mar. 16, 1912—Continued.

Cities.	Popula- tion, United States census, 1910.	Total deaths from all causes. ¹	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Ty- phoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
<i>Cities having less than 25,000 inhabitants.</i>														
Alameda, Cal.	23,383	5			2									
Beaver Falls, Pa.	12,191		1				1						3	
Bennington, Vt.		4												
Braddock, Pa.	19,957	15	6	2	1									
Cambridge, Ohio	11,327	3										1		
Carbondale, Pa.	17,040	15	1	1	4		2							
Clinton, Mass.	13,075	4												
Coffeyville, Kans.	12,687		2						1					
Columbus, Ga.	20,554	4												
Columbus, Ind.		4					1		3			2		
Concord, N. H.	21,497	8			13									
Cumberland, Md.	21,839	7			1						1	2	1	
Dunkirk, N. Y.		4			1									
Galesburg, Ill.	20,089	7	1						1					
Gloucester, Mass.	24,398	12										1		
Harrison, N. J.	14,498	3	1	1							2			
Kearny, N. J.	18,659	5	1		8		2				2	1		
La Fayette, Ind.	20,081	11			2							1		
Lebanon, Pa.	19,240		2											
Logansport, Ind.	19,050	5			1							1	2	1
Marinette, Wis.		4			2								2	
Marlboro, Mass.	14,577	4					1							
Massillon, Ohio		4	2				1							
Medford, Mass.	23,156	6			13		1						1	
Melrose, Mass.	15,715	3			4									
Moline, Ill.	24,199	13										3		
Montclair, N. J.	21,150	8			1		1				1	1		
Morristown, N. J.	12,507	3			3		3					1		
Nanticoke, Pa.	18,507	4			4									
Newburyport, Mass.	19,240		1								2			
North Adams, Mass.	22,012	5									1	1		
Northampton, Mass.	19,431	5									2			
Ottumwa, Iowa.	22,012	11										1		
Palmer, Mass.		2												
Palo Alto, Cal.		1			1									
Plainfield, N. J.	22,050	9			49		1				1		1	
Portsmouth, N. H.			1				1		1					
Pottstown, Pa.		8			1		1							
South Bethlehem, Pa.	19,973				5		1					1	3	
Warren, Pa.	11,081	4		1										
Wilkinsburg, Pa.	18,924	13	1		2		1							
Woburn, Mass.	15,308	2			12									

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES
OF THE UNITED STATES (Untabulated).

CALIFORNIA.—Month of September, 1911. Population, 2,377,549. Total number of deaths from all causes 2,532, including diphtheria 11, measles 4, scarlet fever 3, tuberculosis 373, typhoid fever 45. Cases reported: Diphtheria 60, measles 232, scarlet fever 69, smallpox 19, tuberculosis (pulmonary), 217, typhoid fever 120.

FLORIDA.—Reports from the State board of health show as follows:

Week ended March 9, 1912. Diphtheria present in 6 localities with 17 cases, malaria in 6 localities with 17 cases, smallpox in 9 counties with 53 cases, tuberculosis in 8 localities with 14 cases, typhoid fever in 4 localities with 10 cases.